



Description

Essential Gloss FSC Certified

Essential Gloss, is a high quality triple blade coated range of papers and boards. Manufactured to withstand the most demanding of modern day printing and finishing applications.

FSC Certified and produced using ECF pulp, Essential Gloss offers bulk and an extremely smooth printing surface.

Key Benefits

- FSC Certified
- Good opacity, bulky and rigid
- Excellent volume print performance
- ISO14001 Certified
- Triple blade coated
- Excellent value for Money
- Extremely smooth printing surface
- Comprehensive range from 90 to 380gsm

Ideal For

- Corporate brochures
- Report and Accounts
- Magazines
- Covers
- Books
- All graphical print applications



Stock Range

Packet Quantities

Grammage	200	225	250	275	300	350	380
320 x 450	200	200	200		200	200	100
340 x 640	200		200		200	200	
360 x 520		200	200		200	200	250
450 x 500					200	200	
450 x 640	200	200	200	200	200	200	100
480 x 650	200		200		200	200	100
520 x 720	200	200	200	100	100	100	100
630 x 880			100				
640 x 650	200		100		100	100	
640 x 900	200	200	100	100	100	100	100
660 x 920			100	100	100	100	
720 x 1020	100	100	100	100	100	100	100

BPOP Grammage	200	225	250	275	300	350	380
450 x 640	12000	10400	10000	10000	8000	7000	6000
480 x 650			8000				
520 x 720	10000		8000		6000		
630 x 880			5000				
640 x 900	6000	5200	5000	4500	4000	3600	3500
720 x 1020	5000	4400	3600	3500	3500	3000	2600

Technical Information

Grammage		200	225	250	275	300	350	380
Caliper	um	160	176	185	208	231	258	308
Smoothness	(bekk)	1000	800	700	600	500	350	250
Gloss	(%)	78	78	78	78	78	78	78

Environmental Information

Environmental Certification FSC, ISO 14001.

Net Energy Consumption 0.83Gj/mt.

Energy Source Natural Gas and Electricity.

Bleaching Materials Elemental Chlorine Free (ECF).

Mill Effluent

98% of substances are retained in suspension. This has resulted in subsidies from the National Water Authority.

Waste Disposal 90% of waste is recycled.

Fibre Source Sourced from fully sustainable forests.

Stock Range

Packet Quantities

Grammage	200	225	250	275	300	350	380
320 x 450	200	200	200		200	200	100
340 x 640	200		200		200	200	
360 x 520		200	200		200	200	250
450 x 500					200	200	
450 x 640	200	200	200	200	200	200	100
480 x 650	200		200		200	200	100
520 x 720	200	200	200	100	100	100	100
630 x 880			100				
640 x 650	200		100		100	100	
640 x 900	200	200	100	100	100	100	100
660 x 920			100	100	100	100	
720 x 1020	100	100	100	100	100	100	100
BPOP							
Grammage	200	225	250	275	300	350	380
450 x 640	12000	10400	10000	10000	8000	7000	6000
480 x 650			8000				
520 x 720	10000		8000		6000		
630 x 880			5000				
640 x 900	6000	5200	5000	4500	4000	3600	3500
720 x 1020	5000	4400	3600	3500	3500	3000	2600

Technical Information

Grammage		200	225	250	275	300	350	380
Caliper	um	160	176	185	208	231	258	308
Smoothness	(bekk)	1000	800	700	600	500	350	250
Gloss	(%)	78	78	78	78	78	78	78

Environmental Information

Environmental Certification FSC, ISO 14001.

Net Energy Consumption 0.83Gj/mt.

Energy Source Natural Gas and Electricity.

**Bleaching Materials
Mill Effluent** Elemental Chlorine Free (ECF).

98% of substances are retained in suspension. This has resulted in subsidies from the National Water Authority.

Waste Disposal 90% of waste is recycled.

Fibre Source Sourced from fully sustainable forests.